

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2	"20030065738".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 22:45
L2	6	(provision\$4 near3 event) same (mobile near3 data near3 service)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 23:56
L3	28	(provision\$4 near3 event) and (mobile near3 data near3 service)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 23:56
L4	191	provision\$4 same (mobile near3 data near3 service)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 23:56
L5	0	L4 and (provision\$4 near3 request)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 23:56
L6	34	L4 and (provision\$4 near3 request)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 23:56
L7	11	L6 and (data near3 structure)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 23:56
L8	0	"200400823236".pn. and packet	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 23:56
L9	15	packet and (header same (body or data or information) same identification same destination) and (mobile near3 communication) and (mobile near3 device) same (provision\$4 or subscription)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 23:56
L10	23	packet and (header same (body or data or information) same identification same destination) and (mobile near3 communication) and (mobile near3 device) same (provision\$4 or subscri\$6)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 23:56

EAST Search History

L11	14	packet and (header same (body or data or information) same identification same destination) and (mobile near3 communication) and (mobile near3 device) same (provision\$4 or subscri\$6) and (trigger)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 23:56
L12	14	packet and (header same (body or data or information) same identification same destination) and (mobile near3 communication) and (mobile near3 device) same (provision\$4 or subscri\$6) and (trigger\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 23:56
L13	2	"20030065738".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 23:56
L14	1	"20030065738".pn. and provision\$4 and ((data near3 structure) or packet)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 23:56
L15	1	"20030065738".pn. and (service adj provider)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 23:56
L16	0	"200400823236".pn. and (service adj provider)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 23:56
L17	2	"20040082323".pn. and (service adj provider)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 23:56
L18	2	"20040082323".pn. and (data adj structure)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 23:56
L19	2	"20040082323".pn. and (data adj structure) and (header or body)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 23:56
L20	0	"20020176378".pn. and (data adj structure) and (header or body)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 23:56

EAST Search History

L21	0	"20020176378".pn. and (data adj structure) and (header)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 23:56
L22	0	"20020176378".pn. and (data adj structure)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 23:56
L23	0	"20020176378".pn. and (data near3 structure)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 23:56
L24	2	"20020176378".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 23:56
L25	1	"20040087300".pn. and (data adj structure) and header and body and UADB	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 23:56
L26	0	body same (provisional near3 entity near3 section)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 23:56
L27	0	body same (provisional near3 entity)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 23:56
L28	3	body same (provisioning near3 entity near3 section)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 23:56
L29	20	body same contains same (entity or object) same request same applies	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 23:56
L30	1	(provisioning same (mobile near3 device)) and (header and (body same section))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 23:56

EAST Search History

L31	1	(provisioning same (mobile near3 device)) and (header and (body same request same applies))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 23:56
L32	129	(header and (body same request same applies))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 23:56
L33	85	L32 and (data adj structures)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 23:56
L34	85	L32 and (data adj structure)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 23:56
L35	1	(data adj structure) same receiver same body same (receiver near3 identification)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 23:56
L36	368	(provisioning same (mobile adj device))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 23:56
L37	31	L36 and (cancel or (begin or start)) near3 service	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 23:56
L38	15	L37 and subscription	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 23:56
L39	0	L36 and (((begin or cancel) near3 subscription) same email)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 23:56
L40	1	L36 and (((begin or cancel) near3 subscription))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 23:56

EAST Search History

L41	11	((data adj structure) or message) same (subscription near3 status)) and (((handheld or mobile) near3 (device or object or phone)) or pda or blackberry) and (provisioning)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 23:56
L42	7	L41 and header	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 23:56
L43	1	L42 and (elementary near3 file)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 23:56
L44	2	L42 and (receiver same device same (ID or identification))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 23:56
L45	2	L42 and xml	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 23:56
L46	0	L43 and xml	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 23:56
L47	53	provisioning and ((message or request) same identifies same device and (event near3 (applies or pertains)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 23:56
L48	31	L47 and (mobile near3 device)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 23:56
L49	0	(provisioning near3 request)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 23:56
L50	994	(provisioning near3 request)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 23:56

EAST Search History

L51	0	L50 and ((mobile near3 device) or ((mobile or cellular or cell) near3 phone) or pda or blackberry) and ((data near3 structure) or message) and (body and heading) and (receiv\$4 near3 device near3 (ID or identification or description))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 23:56
L52	22	((mobile near3 device) or ((mobile or cellular or cell) near3 phone) or pda or blackberry) and ((data near3 structure) or message) and (body and heading) and (receiv\$4 near3 device near3 (ID or identification or description))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 23:56
L53	47	L50 and ((subscription near3 status) or (subscription same (cancel or activate or deactivate or start or begin)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 23:56
L54	0	L53 and (request same ((receiving or destination) near3 device near3 identifier))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 23:56
L55	0	L53 and (((receiving or destination) near3 device near3 identifier))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 23:56
L56	0	L50 and ((data near3 structure) or message) and (body and heading) and (receiv\$4 near3 device near3 (ID or identification or description))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 23:56
L57	1	L50 and ((data near3 structure) or message) and (body and heading) and (receiv\$4 near3 device same (ID or identification or description))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 23:56
L58	8	L50 and ((data near3 structure) or message) and (body and heading) and (r(ID or identification or description))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 23:56
L59	8	L50 and ((data near3 structure) or message) and (body and heading) and ((ID or identification or description))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 23:56
L60	16	provision\$4 same trigger same (mobile adj device)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 23:56

EAST Search History

L61	0	(trigger near3 (provisioning near3 event)) same (mobile near3 device)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 23:56
L62	144256	(trigger near3 (provisioning near3 event)) nad (mobile near3 device)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 23:56
L63	4	(trigger near3 (provisioning near3 event)) and (mobile near3 device)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 23:56
L64	10851	(trigger sam (provisioning near3 event)) and (mobile near3 device)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 23:56
L65	10	(trigger same (provisioning near3 event)) and (mobile near3 device)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 23:56
L66	6	L65 not L63	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 23:56
L67	33	(trigger near3 (provisioning)) and (mobile near3 device)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 23:56
L68	1	"20030027581".pn. and (equipment near3 identifier)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 23:56
L69	1	provisioning same ((activation or deactivation) near3 service) same ((resumption or modification) near3 service) same (((profile or parameters or status) near3 service) or (status near3 information))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 23:56
L70	1337	provisioning same (((activation or deactivation) near3 service) or ((resumption or modification) near3 service) or (((profile or parameters or status) near3 service) or (status near3 information)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 23:56

EAST Search History

L71	14	provisioning same (((activation or deactivation) near3 service) and ((resumption or modification) near3 service) and (((profile or parameters or status) near3 service) or (status near3 information))))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 23:56
L72	12	L71 and (external near3 system) and (trigger or instigate or initiate)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 23:56
L73	697238	L72 and message or request or (data adj structure)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 23:56
L74	12	L72 and (message or request or (data adj structure))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 23:56
L75	3	L72 and (message or request or (data adj structure)) and header	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 23:56
L76	1	L75 and (message near3 (contains or comprises or consists))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 23:56
L77	3	L75 and (message near3 (contains or comprises or consists or includes))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 23:56
L78	2	L77 and (subscriber near3 identification near3 data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 23:56
L79	376	L70 and ((mobile near3 device) or pda or blackberry)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 23:56
L80	151	L79 and (request near3 (message or notification or (data near3 structure))))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 23:56

EAST Search History

L81	2	L80 and request near3 ((message or notification or (data near3 structure))) near3 ((contains or comprises or consists))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 23:56
L82	46	L80 and message near3 ((contains or comprises or consists))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 23:56
L83	50	(provisioning near3 request) near5 ((user or device) near3 (data or information))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 23:56
L84	0	(provisioning near3 request) near5 ((device) near3 (specifications or attributes or details))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 23:56
L85	3	(provisioning near3 request) same ((device) near3 (specifications or attributes or details))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 23:56
L86	0	provisioning and (request near3 (contains or includes or comprises or consists) near3 ((device) near3 (specifications or attributes or details)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 23:56
L87	13	provisioning and (request near3 (contains or includes or comprises or consists) same ((device) near3 (specifications or attributes or details)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 23:56
L88	3	provisioning and (request near3 (contains or includes or comprises or consists) near3 ((device) near3 (specifications or attributes or details or type)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 23:56
L89	60	provisioning and (request near3 (contains or includes or comprises or consists) same ((device) near3 (specifications or attributes or details or type)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 23:56
L90	1	"20040087300".pn. and (device near3 type)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 23:56

EAST Search History

L91	0	"200400823232".pn. and (attributes near3 defined near3 external)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 23:56
L92	1	"20040082323".pn. and (attributes near3 defined near3 external)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 23:56
L93	1	"20040082323".pn. and (request same xml)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 23:56
L94	0	"20040087300".pn. and (request same xml)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 23:56
L95	1	"20040087300".pn. and (xml)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 23:56
L96	23	(provisioning near3 request) same xml	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 23:56
L97	10519858	L96 and mobile device	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 23:56
L98	8	L96 and (mobile near3 device)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 23:56
L99	11	L96 and (mobile near3device)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 23:56
L100	1	"20040087300".pn. and (device near3 (properties or attributes or characteristics or description or type))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 23:56

EAST Search History

L101	1	"20040087300".pn. and (request same (device near3 (properties or attributes or characteristics or description or type)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 23:56
L102	15	((notification near3 request) same (device near3 (properties or attributes or characteristics or description or type))) and provisioning	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 23:56
L103	6	"2004008737".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 23:56
L104	0	"2004008737".pn. and xml	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 23:56
L105	17	((notification near3 request) same ((device or component or entity or pda or mobile) near3 (properties or attributes or characteristics or description or type))) and provisioning	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 23:56
L106	17	L105 not L103	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 23:56
L107	2	L106 not L102	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 23:56
L108	1	((activation or deactivation) near3 service) same ((resumption or modification) near3 service) same (((profile or parameters or status) near3 service) or (status near3 information)) and ((request or message) with xml)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 23:56
L109	1	"20040087300".pn. and (device near3 identification near3 information)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 23:56
L110	1	"20040087300".pn. and (device near3 type)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 23:56

EAST Search History

L111	1	"20040087300".pn. and GSM	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 23:56
L112	1132	tv and provisioning	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 23:56
L113	62	itv and provisioning	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 23:56
L114	2	"20020099632".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 23:56
L115	2	"20040087300".pn. and subscrib\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 23:56
L116	1	"20040082323".pn. and (name near3 attribute)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 23:56
L117	1	"20040087300".pn. and (device near3 identification near3 number)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 23:56
L118	1	"20040087300".pn. and (device near3 identification near3 number) and (IMSI or MIN) and (MSISDN/MDN)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 23:56
L119	1	"20040087300".pn. and (device near3 identification near3 number) and (IMSI or MIN) and (MSISDN/MDN) and RIM	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 23:56
L120	0	"20040087300".pn. and (device near3 identification near3 number) and (IMSI or MIN) and (MSISDN/MDN) and RIM and (model near3 number)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 23:56

EAST Search History

L121	0	"20040087300".pn. and (device near3 identification near3 number) and (IMSI or MIN) and (MSISDN/MDN) and RIM and (model near3 identification)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 23:56
L122	1	"20040087300".pn. and (device near3 identification near3 number) and (IMSI or MIN) and (MSISDN/MDN) and RIM and (type near3 identification)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 23:56
L123	1	"20040087300".pn. and (device near3 identification near3 number) and (IMSI or MIN) and (MSISDN/MDN) and RIM and (type near3 identification) and (device near3 number)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 23:56
L124	1	"20040082323".pn. and (model near3 number)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 23:56
L125	1	"20030065738".pn. and (service near3 provider)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 23:56
L126	1	"20030065738".pn. and (billing)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 23:56
L127	0	"20040087300".pn. and bill\$ near3 identifier	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 23:56
L128	1	"20040087300".pn. and bill\$	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 23:56
L129	0	"20040087300".pn. and ICCID	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 23:56
L130	0	"20040087300".pn. and card near3 identifier	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 23:56

EAST Search History

L131	0	"20040087300".pn. and circuit near3 identifier	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 23:56
L132	0	"20040087300".pn. and integrated near3 circuit	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 23:56
L133	0	"20040087300".pn. and SIM near3 identifier	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 23:56
L134	0	"20040087300".pn. and SIM near3 card	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 23:56
L135	1	"20040087300".pn. and ((common near3 message) same xml)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 23:56
L136	1	"20030065738".pn. and (sender\$4 near3 number)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 23:56
L137	1	"20030065738".pn. and (sender\$4 near3 (number or name or identification))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 23:56
L138	1	"20030065738".pn. and (reply or response)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 23:56
L139	1	"20040087300".pn. and (response or reply)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 23:56
L140	0	"20030065738".pn. and (most near3 severe near3 error)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 23:56

EAST Search History

L141	0	"20030065738".pn. and (severe)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 23:56
L142	1	"20040082323".pn. and (most near3 severe near3 error)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 23:56
L143	68444	"20030065738".pn. and error or reply	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 23:56
L144	0	"20030065738".pn. and (error or reply)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 23:56
L145	1	"20040087300".pn. and (response or reply) and (password or authentication)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 23:56
L146	1	"20040087300".pn. and ((distribution near3 list) or alias)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 23:56
L147	25	((intergrated near3 circuit near3 card near3 identifier) or (ICCID)) and (mobile near3 device)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 23:56
L148	3	L147 and (provisioning near3 request)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 23:56
L149	2	"20050044097".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 23:56
L150	1	"20030065738".pn. and (medium)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 23:56

EAST Search History

L151	2	"20030065738".pn. and program	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 23:56
L152	2	"6643691".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 23:56
L153	1	"20030065738".pn. and (message same stored)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 23:56
L154	0	"20040082323".pn. and (provisioning same data same structure same head same body)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 23:56
L155	0	"20040082323".pn. and (provision\$5 same data same structure same head same body)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 23:56
L156	0	"20040082323".pn. and (provision\$5 same data same structure same head)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 23:56
L157	2	"20040082323".pn. and (provision\$5 same data same structure)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 23:56
L158	2	"20040082323".pn. and (provision\$5 same data same structure same body)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 23:56
L159	1	"20040082323".pn. and (provision\$5 same data same structure same body same header)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 23:56
L160	1	"20040087300".pn. and status	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 23:56

EAST Search History

L161	191	provision\$4 same (mobile near3 data near3 service)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 23:56
L162	0	L161 and (provision\$4 near3 request)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 23:56
L163	0	"200400823236".pn. and packet	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 23:56
L164	15	packet and (header same (body or data or information) same identification same destination) and (mobile near3 communication) and (mobile near3 device) same (provision\$4 or subscription)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 23:56
L165	14	packet and (header same (body or data or information) same identification same destination) and (mobile near3 communication) and (mobile near3 device) same (provision\$4 or subscri\$6) and (trigger)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 23:56
L166	0	"200400823236".pn. and (service adj provider)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 23:56
L167	0	"20020176378".pn. and (data adj structure) and (header or body)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 23:56
L168	0	"20020176378".pn. and (data adj structure) and (header)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 23:56
L169	0	"20020176378".pn. and (data adj structure)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 23:56
L170	0	"20020176378".pn. and (data near3 structure)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 23:56

EAST Search History

L171	2	"20020176378".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 23:56
L172	0	body same (provisional near3 entity near3 section)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 23:56
L173	0	body same (provisional near3 entity)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 23:56
L174	1	(provisioning same (mobile near3 device)) and (header and (body same request same applies))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 23:56
L175	129	(header and (body same request same applies))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 23:56
L176	85	L175 and (data adj structures)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 23:56
L177	85	L175 and (data adj structure)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 23:56
L178	368	(provisioning same (mobile adj device))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 23:56
L179	0	L178 and (((begin or cancel) near3 subscription) same email)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 23:56
L180	11	(((data adj structure) or message) same (subscription near3 status)) and (((handheld or mobile) near3 (device or object or phone)) or pda or blackberry) and (provisioning)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 23:56

EAST Search History

L181	7	L180 and header	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 23:56
L182	1	L181 and (elementary near3 file)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 23:56
L183	0	L182 and xml	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 23:56
L184	53	provisioning and ((message or request) same identifies same device and (event near3 (applies or pertains)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 23:56
L185	0	(provisioning near3 request)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 23:56
L186	994	(provisioning near3 request)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 23:56
L187	0	L186 and ((mobile near3 device) or ((mobile or cellular or cell) near3 phone) or pda or blackberry) and ((data near3 structure) or message) and (body and heading) and (receiv\$4 near3 device near3 (ID or identification or description))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 23:56
L188	47	L186 and ((subscription near3 status) or (subscription same (cancel or activate or deactivate or start or begin)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 23:56
L189	0	L188 and (request same ((receiving or destination) near3 device near3 identifier))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 23:56
L190	0	L188 and (((receiving or destination) near3 device near3 identifier))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 23:56

EAST Search History

L191	0	L186 and ((data near3 structure) or message) and (body and heading) and (receiv\$4 near3 device near3 (ID or identification or description))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 23:56
L192	1	L186 and ((data near3 structure) or message) and (body and heading) and (receiv\$4 near3 device same (ID or identification or description))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 23:56
L193	8	L186 and ((data near3 structure) or message) and (body and heading) and (r(ID or identification or description))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 23:56
L194	0	(trigger near3 (provisioning near3 event)) same (mobile near3 device)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 23:56
L195	144256	(trigger near3 (provisioning near3 event)) nad (mobile near3 device)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 23:56
L196	10851	(trigger sam (provisioning near3 event)) and (mobile near3 device)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 23:56
L197	10	(trigger same (provisioning near3 event)) and (mobile near3 device)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 23:56
L198	4	(trigger near3 (provisioning near3 event)) and (mobile near3 device)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 23:56
L199	6	L197 not L198	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 23:56
L200	1337	provisioning same (((activation or deactivation) near3 service) or ((resumption or modification) near3 service) or (((profile or parameters or status) near3 service) or (status near3 information)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 23:56

EAST Search History

L201	14	provisioning same (((activation or deactivation) near3 service) and ((resumption or modification) near3 service) and (((profile or parameters or status) near3 service) or (status near3 information)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 23:56
L202	12	L201 and (external near3 system) and (trigger or instigate or initiate)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 23:56
L203	697238	L202 and message or request or (data adj structure)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 23:56
L204	376	L200 and ((mobile near3 device) or pda or blackberry)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 23:56
L205	151	L204 and (request near3 (message or notification or (data near3 structure)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 23:56
L206	0	(provisioning near3 request) near5 ((device) near3 (specifications or attributes or details))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 23:56
L207	0	provisioning and (request near3 (contains or includes or comprises or consists) near3 ((device) near3 (specifications or attributes or details)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 23:56
L208	0	"200400823232".pn. and (attributes near3 defined near3 external)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 23:56
L209	0	"20040087300".pn. and (request same xml)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 23:56
L210	23	(provisioning near3 request) same xml	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 23:56

EAST Search History

L211	10519858	L210 and mobile device	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 23:56
L212	6	"2004008737".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 23:56
L213	0	"2004008737".pn. and xml	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 23:56
L214	17	((notification near3 request) same ((device or component or entity or pda or mobile) near3 (properties or attributes or characteristics or description or type))) and provisioning	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 23:56
L215	1132	tv and provisioning	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 23:56
L216	0	"20040087300".pn. and (device near3 identification near3 number) and (IMSI or MIN) and (MSISDN/MDN) and RIM and (model near3 number)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 23:56
L217	0	"20040087300".pn. and (device near3 identification near3 number) and (IMSI or MIN) and (MSISDN/MDN) and RIM and (model near3 identification)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 23:56
L218	1	"20040087300".pn. and (device near3 identification near3 number) and (IMSI or MIN) and (MSISDN/MDN) and RIM and (type near3 identification)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 23:56
L219	0	"20040087300".pn. and bill\$ near3 identifier	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 23:56
L220	0	"20040087300".pn. and ICCID	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 23:56

EAST Search History

L221	0	"20040087300".pn. and card near3 identifier	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 23:56
L222	0	"20040087300".pn. and circuit near3 identifier	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 23:56
L223	0	"20040087300".pn. and integrated near3 circuit	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 23:56
L224	0	"20040087300".pn. and SIM near3 identifier	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 23:56
L225	0	"20040087300".pn. and SIM near3 card	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 23:56
L226	1	"20030065738".pn. and (sender\$4 near3 number)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 23:56
L227	0	"20030065738".pn. and (most near3 severe near3 error)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 23:56
L228	0	"20030065738".pn. and (severe)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 23:56
L229	68444	"20030065738".pn. and error or reply	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 23:56
L230	0	"20030065738".pn. and (error or reply)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 23:56

EAST Search History

L231	25	((intergrated near3 circuit near3 card near3 identifier) or (ICCID)) and (mobile near3 device)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 23:57
L232	1	"20030065738".pn. and provision\$4 and ((data near3 structure) or packet)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 23:57
L233	1	"20030065738".pn. and (service adj provider)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 23:57
L234	1	"20040087300".pn. and (data adj structure) and header and body and UADB	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 23:57
L235	1	(provisioning same (mobile near3 device)) and (header and (body same section))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 23:57
L236	1	(data adj structure) same receiver same body same (receiver near3 identification)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 23:57
L237	1	L178 and (((begin or cancel) near3 subscription))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 23:57
L238	1	"20030027581".pn. and (equipment near3 identifier)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 23:57
L239	1	provisioning same ((activation or deactivation) near3 service) same ((resumption or modification) near3 service) same (((profile or parameters or status) near3 service) or (status near3 information))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 23:57
L240	3	L202 and (message or request or (data adj structure)) and header	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 23:57

EAST Search History

L241	1	L240 and (message near3 (contains or comprises or consists))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 23:57
L242	2	L205 and request near3 ((message or notification or (data near3 structure))) near3 ((contains or comprises or consists))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 23:57
L243	1	"20040087300".pn. and (device near3 type)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 23:57
L244	1	"20040082323".pn. and (attributes near3 defined near3 external)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 23:57
L245	1	"20040082323".pn. and (request same xml)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 23:57
L246	1	"20040087300".pn. and (xml)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 23:57
L247	1	"20040087300".pn. and (device near3 (properties or attributes or characteristics or description or type))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 23:57
L248	1	"20040087300".pn. and (request same (device near3 (properties or attributes or characteristics or description or type)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 23:57
L249	17	L214 not L212	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 23:57
L250	15	((notification near3 request) same (device near3 (properties or attributes or characteristics or description or type))) and provisioning	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 23:57

EAST Search History

L251	2	L249 not L250	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 23:57
L252	1	((activation or deactivation) near3 service) same ((resumption or modification) near3 service) same (((profile or parameters or status) near3 service) or (status near3 information)) and ((request or message) with xml)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 23:57
L253	1	"20040087300".pn. and (device near3 identification near3 information)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 23:57
L254	1	"20040087300".pn. and (device near3 type)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 23:57
L255	1	"20040087300".pn. and GSM	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 23:57
L256	1	"20040082323".pn. and (name near3 attribute)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 23:57
L257	1	"20040087300".pn. and (device near3 identification near3 number)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 23:57
L258	1	"20040087300".pn. and (device near3 identification near3 number) and (IMSI or MIN) and (MSISDN/MDN)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 23:57
L259	1	"20040087300".pn. and (device near3 identification near3 number) and (IMSI or MIN) and (MSISDN/MDN) and RIM	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 23:57
L260	1	"20040087300".pn. and (device near3 identification near3 number) and (IMSI or MIN) and (MSISDN/MDN) and RIM and (type near3 identification) and (device near3 number)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 23:57

EAST Search History

L261	1	"20040082323".pn. and (model near3 number)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 23:57
L262	1	"20030065738".pn. and (service near3 provider)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 23:57
L263	1	"20030065738".pn. and (billing)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 23:57
L264	1	"20040087300".pn. and bill\$	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 23:57
L265	1	"20040087300".pn. and ((common near3 message) same xml)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 23:57
L266	1	"20030065738".pn. and (sender\$4 near3 (number or name or identification))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 23:57
L267	1	"20030065738".pn. and (reply or response)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 23:57
L268	1	"20040087300".pn. and (response or reply)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 23:57
L269	1	"20040082323".pn. and (most near3 severe near3 error)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 23:57
L270	1	"20040087300".pn. and (response or reply) and (password or authentication)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 23:57

EAST Search History

L271	1	"20040087300".pn. and ((distribution near3 list) or alias)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 23:57
L272	6	(provision\$4 near3 event) same (mobile near3 data near3 service)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 23:57
L273	28	(provision\$4 near3 event) and (mobile near3 data near3 service)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 23:57
L274	34	L161 and (provision\$4 near3 request)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 23:57
L275	11	L274 and (data near3 structure)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 23:57
L276	23	packet and (header same (body or data or information) same identification same destination) and (mobile near3 communication) and (mobile near3 device) same (provision\$4 or subscri\$6)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 23:57
L277	14	packet and (header same (body or data or information) same identification same destination) and (mobile near3 communication) and (mobile near3 device) same (provision\$4 or subscri\$6) and (trigger\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 23:57
L278	2	"20030065738".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 23:57
L279	2	"20040082323".pn. and (service adj provider)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 23:57
L280	2	"20040082323".pn. and (data adj structure)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 23:57

EAST Search History

L281	2	"20040082323".pn. and (data adj structure) and (header or body)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 23:57
L282	3	body same (provisioning near3 entity near3 section)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 23:57
L283	20	body same contains same (entity or object) same request same applies	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 23:57
L284	31	L178 and (cancel or (begin or start)) near3 service	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 23:57
L285	15	L284 and subscription	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 23:57
L286	2	L181 and (receiver same device same (ID or identification))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 23:57
L287	2	L181 and xml	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 23:57
L288	31	L184 and (mobile near3 device)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 23:57
L289	22	((mobile near3 device) or ((mobile or cellular or cell) near3 phone) or pda or blackberry) and ((data near3 structure) or message) and (body and heading) and (receiv\$4 near3 device near3 (ID or identification or description))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 23:57
L290	47	L186 and ((subscription near3 status) or (subscription same (cancel or activate or deactivate or start or begin)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 23:57

EAST Search History

L291	8	L186 and ((data near3 structure) or message) and (body and heading) and ((ID or identification or description))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 23:57
L292	16	provision\$4 same trigger same (mobile adj device)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 23:57
L293	33	(trigger near3 (provisioning)) and (mobile near3 device)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 23:57
L294	12	L202 and (message or request or (data adj structure))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 23:57
L295	3	L240 and (message near3 (contains or comprises or consists or includes))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 23:57
L296	2	L295 and (subscriber near3 identification near3 data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 23:57
L297	46	L205 and message near3 ((contains or comprises or consists))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 23:57
L298	50	(provisioning near3 request) near5 ((user or device) near3 (data or information))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 23:57
L299	3	(provisioning near3 request) same ((device) near3 (specifications or attributes or details))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 23:57
L300	13	provisioning and (request near3 (contains or includes or comprises or consists) same ((device) near3 (specifications or attributes or details)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 23:57

EAST Search History

L301	3	provisioning and (request near3 (contains or includes or comprises or consists) near3 ((device) near3 (specifications or attributes or details or type)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 23:57
L302	60	provisioning and (request near3 (contains or includes or comprises or consists) same ((device) near3 (specifications or attributes or details or type)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 23:57
L303	8	L210 and (mobile near3 device)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 23:57
L304	11	L210 and (mobile near3device)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 23:57
L305	23	(provisioning near3 request) same xml	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 23:57
L306	62	itv and provisioning	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 23:57
L307	2	"20020099632".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 23:57
L308	2	"20040087300".pn. and subscrib\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 23:57
L309	3	L231 and (provisioning near3 request)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 23:57
L310	25	((intergrated near3 circuit near3 card near3 identifier) or (ICCID)) and (mobile near3 device)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 23:57

EAST Search History

L311	2	"20050044097".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/29 00:09
L312	264	(709/215).CCLS.	USPAT; USOCR	OR	OFF	2007/05/29 00:09